



# Introduction to SQL (Structured Query Language) & Data Types

CE384: Database Design  
Maryam Ramezani  
Sharif University of Technology  
[maryam.ramezani@sharif.edu](mailto:maryam.ramezani@sharif.edu)





01

# Introduction to SQL commands


# Database Languages

- Database Languages are known as data Sublanguages.
- DBMSs have a facility for embedding the sublanguage in a high-level programming language e.g. C, C++, Java Or VB. The high-level language is then known as a host Language.
- Most data sublanguages also provide interactive commands that can be input directly from a terminal.

# SQL Commands

- A data sublanguage consists of five parts:
  - Data Definition Language (DDL)
    - Used to specify the database schema.
  - Data Manipulation Language (DML)
    - Used to read and update the database.
  - Data Query Language (DQL)
    - Used for performing queries on the data within schema objects.
  - Data Control Language (DCL)
    - DCL includes commands such as GRANT and REVOKE which mainly deal with the rights, permissions, and other controls of the database system.
  - Transaction Control Language (TCL)
    - Transactions group a set of tasks into a single execution unit. Each transaction begins with a specific task and ends when all the tasks in the group are successfully completed. If any of the tasks fail, the transaction fails. Therefore, a transaction has only two results: success or failure.

# SQL Commands





02

# Database, Schema, Table

# Schema

- A database schema is a logical grouping of objects that belong to a user.
- All created objects / structures (such as tables, views, indexes) are stored in a database schema.

# Data Dictionary

- The **data dictionary** integrates the meta-data; definitive information about the structure is recorded in a data dictionary.
  - For example: definitions about the records, data items and other objects of interest to users or required by the DBMS.
- The DBMS consults the data dictionary before accessing or manipulating the data.
- <https://dataedo.com/kb/query/postgresql>



# Data Dictionary

- Table managing all tables.

```
select * from information_schema.tables
```

- Table managing all columns

```
select * from information_schema.columns
```

select \* from information\_schema.tables

	table_catalog	table_schema	table_name	table_type	self_referencing_column_name	reference_gen
1	mydb	DBClass	test_char_length	BASE TABLE	[NULL]	[NULL]
2	mydb	pg_catalog	pg_statistic	BASE TABLE	[NULL]	[NULL]
3	mydb	pg_catalog	pg_type	BASE TABLE	[NULL]	[NULL]
4	mydb	pg_catalog	pg_foreign_table	BASE TABLE	[NULL]	[NULL]
5	mydb	public	people	BASE TABLE	[NULL]	[NULL]
6	mydb	public	student	BASE TABLE	[NULL]	[NULL]
7	mydb	public	enrolled	BASE TABLE	[NULL]	[NULL]
8	mydb	public	course	BASE TABLE	[NULL]	[NULL]
9	mydb	pg_catalog	pg_authid	BASE TABLE	[NULL]	[NULL]
10	mydb	pg_catalog	pg_shadow	VIEW	[NULL]	[NULL]

select \* from information\_schema.columns

	table_catalog	table_schema	table_name	column_name	ordinal_position	column_default	is_nullable	data_type	character_maximum_length	character_octet_length
1	mydb	pg_catalog	pg_proc	oid	1	[NULL]	NO	oid		[NULL]
2	mydb	pg_catalog	pg_operator	oprkind	5	[NULL]	NO	"char"		[NULL]
3	mydb	pg_catalog	pg_operator	oprcommerge	6	[NULL]	NO	boolean		[NULL]
4	mydb	pg_catalog	pg_operator	oprcreanhash	7	[NULL]	NO	boolean		[NULL]
5	mydb	pg_catalog	pg_operator	oprleft	8	[NULL]	NO	oid		[NULL]
6	mydb	pg_catalog	pg_operator	oprright	9	[NULL]	NO	oid		[NULL]
7	mydb	pg_catalog	pg_operator	oprresult	10	[NULL]	NO	oid		[NULL]
8	mydb	pg_catalog	pg_operator	oprcrom	11	[NULL]	NO	oid		[NULL]
9	mydb	pg_catalog	pg_operator	oprnegate	12	[NULL]	NO	oid		[NULL]
10	mydb	pg_catalog	pg_operator	oprproc	13	[NULL]	NO	regproc		[NULL]
11	mydb	pg_catalog	pg_operator	oprrest	14	[NULL]	NO	regproc		[NULL]
12	mydb	pg_catalog	pg_operator	oprjoin	15	[NULL]	NO	regproc		[NULL]
13	mydb	pg_catalog	pg_opfamily	oid	1	[NULL]	NO	oid		[NULL]
14	mydb	pg_catalog	pg_opfamily	opfmeth	2	[NULL]	NO	oid		[NULL]
15	mydb	pg_catalog	pg_opfamily	opfnamespc	4	[NULL]	NO	oid		[NULL]
16	mydb	pg_catalog	pg_opfamily	opfowner	5	[NULL]	NO	oid		[NULL]
17	mydb	pg_catalog	pg_opclass	oid	1	[NULL]	NO	oid		[NULL]
18	mydb	pg_catalog	pg_opclass	opcmeth	2	[NULL]	NO	oid		[NULL]
19	mydb	pg_catalog	pg_opclass	opcnamespc	4	[NULL]	NO	oid		[NULL]

- See the tables owned by the user.

```
select * from pg_catalog.pg_stat_user_tables
```

# Database and Schema

- CREATE DATABASE DatabaseName
- DROP DATABASE DatabaseName
- CREATE SCHEMA SchemaName
- DROP SCHEMA SchemaName
- Example: dbcourse.student means the student table in dbcourse schema
  - Tables belonging to other users are not in the user's schema.
  - You should use the owner's name as a prefix to those tables.

# Create table

- **CREATE TABLE** SQL syntax

```
CREATE TABLE tablename  
(columnname1 data_type,  
columnname2 data_type, ...);
```

- **Example:**

```
CREATE TABLE student  
(s_id CHAR(5),  
s_first VARCHAR2(20));
```

- **Basic data types**

- Character
- Number
- Date/time
- Large object



03

# Naming Rules Convention

# Naming Rules

- Table names and column names:
  - Must begin with a letter
  - Must be 1-30 characters long
  - Must contain only A-Z, a-z, 0-9, \_, \$, and #.
  - No national, numerals, punctuation, or other special
  - characters (such as spaces or dashes) are allowed.
  - Must not duplicate the name of another object owned by the same user
  - For table names the all letters are capitalized, or capitalized first letter only
    - Examples: STUDENTS, MARKS, SUBJ\_TEACH or Students, Subjects, Marks, Subj\_Teach.
  - Table names are plural, field name is singular.
    - Examples: table called MARKS (Marks); fields called Mark, Date (mark, date).
  - Tables and fields should be unique within the database schema. For fields use the prefix with a 2 or 3 character of the table name.
  - Examples: STUDENTS and TEACHERS would have a field called stdFirstName and tshFirstName



04

# Data Type

# ISO SQL Data Types

**Table 6.1** ISO SQL data types.

Data type	Declarations			
boolean	BOOLEAN			
character	CHAR	VARCHAR		
bit	BIT	BIT VARYING		
exact numeric	NUMERIC	DECIMAL	INTEGER	SMALLINT
approximate numeric	FLOAT	REAL	DOUBLE PRECISION	
datetime	DATE	TIME	TIMESTAMP	
interval	INTERVAL			
large objects	CHARACTER LARGE OBJECT		BINARY LARGE OBJECT	

# Character Data Types

- VARCHAR
  - Variable-length character data (up to 4000 characters)
  - Syntax: *columnname* VARCHAR(*maximum\_size*)
  - If user enters data value less than *maximum\_size*, DBMS only stores actual character values
- CHAR
  - Fixed-length character data (default = 2000)
  - Syntax: *columnname* CHAR(*maximum\_size*)
  - If user enters data value less than *maximum\_size*, DBMS adds trailing blank spaces to the end of entry
  - The CHAR data type uses the storage more efficiently and processes data faster than the VARCHAR2 type.



# Character Example

```
create table Test_Char_Length (first char(4), second varchar(5))
```

```
insert into Test_Char_Length values ('12', '123')
```

```
insert into Test_Char_Length values ('1234', '1234')
```

```
insert into Test_Char_Length values ('1234', '12345')
```

```
insert into Test_Char_Length values ('1234', '123456')
```

```
insert into Test_Char_Length values ('12345', '12345')
```

```
select * from test_char_length
```

```
SELECT CONCAT('(', first, ')'), CONCAT('(', second, ')') FROM  
Test_Char_Length;
```

# Character Data Types

CHAR	VARCHAR
Used to store strings of fixed size	Used to store strings of variable length
Can range in size from 1 to 8000 bytes	Can range in size from 1 to 8000 bytes
Uses a fixed amount of storage, based on the size of the column	Use varying amounts of storage space based on the size of the string stored.
Takes up 1 to 4 byte for each character, based on collation setting	Takes up 1 to 4 byte for each character based on collation and requires one or more bytes to store the length of the data
Better performance	Slightly poorer performance because length has to be accounted for.
Pads spaces to the right when storing strings less than the fixed size length	No padding necessary because it is variable in size

# Text

## VARCHAR vs. TEXT

- ❑ **Indexing Ability:** VARCHAR can be fully indexed, while TEXT columns can be indexed only up to a certain length.
- ❑ **Sorting Possibility:** VARCHAR can be sorted using the entire length of the String, but this is not possible for TEXT
- ❑ **Storage usage:** TEXT occupies 2 + length of string storage space, while VARCHAR occupies 1 + length of string, up to 255 characters, and 2 + length of string greater than 255 characters. So, up to 255 characters, VARCHAR even uses lesser storage than TEXT.
- ❑ **Performance Optimization:** Based on the database technology!!! For example: VARCHAR can be stored in MySQL's memory storage; however, TEXT is not supported by it. So, if a query involves a TEXT column, temporary tables are created on the disk storage. Using disk-based tables takes a toll on the resources, and query run completion takes longer. PostgreSQL does not differentiate between TEXT and VARCHAR in terms of storage or performance. Both types are variable-length strings that can store very large amounts of text.
- ❑ **Length:** VARCHAR can enforce a maximum length constraint, which TEXT does not

# Number

- The **NUMBER** data type is used to store negative, positive, integer, fixed-decimal, and floating-point numbers.
- When a number type is used for a column, its **precision** and **scale** can be specified.
  - Precision is the total number of significant digits in the number, both to the left and to the right of the decimal point.
  - Scale is the total number of digits to the right of the decimal point.

# Number -- integer

- An integer is a whole number without any decimal part.
- The data type for it would be defined as NUMBER(3), where 3 represents the maximum number of digits.

# Number – fixed-point

- Decimal number has a specific number of digits to the right of the decimal point.
- The PRICE column has values in dollars and cents, which requires two decimal places - for example, values like 2.95, 3.99, 24.99, and so on.
- If it is defined as NUMBER(4,2), the first number specifies the precision and the second number the scale.

# Number – floating-point

- A floating-point decimal number has a variable number of decimal places
- To define such a column, do not specify the scale or precision along with the NUMBER type.
- By defining a column as a floating-point number, a value can be stored in it with very high precision

# Number Example

- In postgres number types are NUMERIC(p, q), DECIMAL(p, q), REAL, INTEGER, SMALLINT, FLOAT(p), DOUBLE PRECISION. The types decimal and numeric are equivalent.

```
create table Test_Number (f1 numeric, f2 numeric (2), f3  
numeric (2,1))
```

```
insert into Test_Number values (232.34, 24, 3.1)
```

```
select * from Test_Number
```



# Auto Increment

- Use the PostgreSQL pseudo-type SERIAL to create an auto-increment column for a table

Behind the scenes, the following statement:

```
CREATE TABLE table_name(  
    id SERIAL  
);
```

is equivalent to the following statements:

```
CREATE SEQUENCE table_name_id_seq;  
  
CREATE TABLE table_name (  
    id integer NOT NULL DEFAULT nextval('table_name_id_seq')  
);  
  
ALTER SEQUENCE table_name_id_seq  
OWNED BY table_name.id;
```

# Number Example

- Mysql> Create table grocery\_inventory ( id int not null primary key auto\_increment, item\_name varchar (50) not null, item\_desc text, item\_price float not null, curr\_qty int not null);
- Auto\_Increment is a table modifier/constraint that will request MySQL to add the next available number to the ID field for you.
- Postgres Example:
  - CREATE TABLE CountNum (name char(5), regNo serial)
  - insert into CountNum values ('DB'), ('DS');
  - select \* from CountNum

# Date And Time Data Types

- Datetime data subtypes
  - Store actual date and time values
  - DATE
  - TIMESTAMP
- Interval data subtypes
  - Store elapsed time interval between two datetime values
  - INTERVAL YEAR TO MONTH
  - INTERVAL DAY TO SECOND

# Date And Time Data Types

## ■ DATE

- Stores dates from Dec 31, 4712 BC to Dec 31, AD 4712
- Default date format: DD-MON-YY
- Default time format: HH:MI:SS AM
- Syntax: columnname DATE

## ■ TIMESTAMP

- Stores date values similar to DATE data type . It stores the year, month, and day of the DATE data type, plus hour, minute, and second values as well as the fractional second value. Also stores fractional seconds.

If omitted, default is 6 decimal place

- Syntax: columnname TIMESTAMP  
(fractional\_seconds\_precision)
- Example: shipment\_date TIMESTAMP(2)

# Date And Time Data Types

- INTERVAL YEAR TO MONTH
  - Stores time interval expressed in years and months using the following syntax:
  - Example:
    - **create table** Interval\_Time (time\_enrolled **INTERVAL YEAR TO MONTH**)
    - **insert into** Interval\_Time **values** (**INTERVAL '13' MONTH**),(**INTERVAL '1' MONTH**),(**INTERVAL '18' MONTH**);
    - **select \* from** Interval\_Time

# Date And Time Data Types

## ■ INTERVAL YEAR TO MONTH

### ○ Example:

`INTERVAL '123-2' YEAR TO MONTH`

Indicates an interval of 123 years, 2 months.

`INTERVAL '123' YEAR`

Indicates an interval of 123 years 0 months.

`INTERVAL '300' MONTH`

Indicates an interval of 300 months.

# Date And Time Data Types

## ■ INTERVAL DAY TO SECOND

- INTERVAL DAY TO SECOND stores a period of time in terms of days, hours, minutes, and seconds.

Example:

- **create table** Interval\_Time\_Day (time\_enrolled **INTERVAL DAY TO SECOND**)
- **insert into** Interval\_Time\_Day **values**
  - (**INTERVAL** '4 5:12:10.222' **DAY TO SECOND**),
  - (**INTERVAL** '7' **DAY**),
  - (**INTERVAL** '4 5:12' **DAY TO minute**),
  - (**INTERVAL** '400 5' **DAY TO hour**),
  - (**INTERVAL** '11:12:10.222222' **HOURL TO second**)
- **select \* from** Interval\_Time\_D

time_enrolled
4 days 05:12:10.222
7 days
4 days 05:12:00
400 days 05:00:00
11:12:10.222222

# Large Object (LOB) Data Types

- Store binary data such as:
  - Digitized sounds or images
  - References to binary files from word processor or spreadsheet
- How? Additional topic for study.